



*Dal***LUX**<sup>™</sup>


PORCELAIN TILE BY DALDORADO



# DalLUX™

## PORCELAIN TILE

Bring the deck to the water's edge with Daldorado's DalLUX™ Porcelain tile. Daldorado provides an array of color combinations to create an elegant and durable pool finish that is uniquely yours. Suitable for interior and exterior applications, make a statement with these beautiful tiles from Turkey. Samples available upon request.



▲ Use DalLUX™ Porcelain with our SILENTFlow™ Parallel Straight & Parallel Radius Grating



DalLUX™ Stone/Tile  
Support Grate  
Sold Separately

▲ Use DalLUX™ Porcelain with our Stone/Tile Support system

## Finger Grip Tile



Available in-stock  
Bone & White

Black/White

## Anti-Slip Bond Beam Flat Tile



10year  
DALDORADO  
WARRANTY

Color match available by request.

Variations in shade and color are inherent characteristics in all porcelain tile and adds to the unique beauty of the product. Actual color of product received may vary from image shown.

Cobalt/Bone

## Waterline Glazed Tile

Available in-stock  
White & Light Blue



Cobalt/White





DalLUX™ Porcelain Tile  
Cobalt Blue Finger Grip with  
White Anti-Slip Bond Beam  
Flat Tile shown.

## Specifications

- Classification Rating P5 = >44 on the Tile, Anti-Slip Tested by NATA to HB198-2013/AS4586 Appendix A, European equivalent EN13036-4 the pendulum test, NATA - (National Association of Testing Authorities), CTIOA – (Ceramic Tile Institute of America).
- The pool consultant or customer is responsible for ensuring that the tile or stone is specified, are cut or made, & bonded according to the Installation Instructions.
- Stone & tile must be installed by a company that specializes in laying stone and/or tile.
- Swimming pool design professional is the final authority in determining a four- or five-slot opening to satisfy water capture design flow.
- Stone & tile must comply with Country & local codes for slip resistance qualities.

## Why Porcelain?

- Porcelain is superior member of the ceramic family (harder & more resistant to impacts).
- Porcelain surface is not porous—therefore hygienic, free of germs and does not stain. Water absorption capacity is 0.03% +/- (most ceramics tiles have a 3.0% absorption rate).
- Porcelain surface is more resistant to acids & alkali compared to ceramics.
- With only 0.03% water absorption, they are excellent for freeze conditions.

# DALDORADO

Safety by design—Above & below the waterline.

**FOR PRODUCT SAMPLES**

**1 888 509 8128**

**daldorado.com**

4327 Arnold Ave, Naples, FL 34104

**Bahrain Office** +973 3598 8104

Pool images shown are renderings and not actual product installation.

© 2020 Daldorado, LLC. All rights reserved.

REV 06 2020